




Objektyvas Sigma 8-16mm F4.5-5.6 DC HSM (Nikon) (Product code: YRM-3427)
Price: 659.99 €

Technical specifications:

USB wireless receiver / microUSB - USB / 1 x USB - 4 pinų USB A-tipo / XFP / CX4 / Gold-plated USB connector / USB siųstuvas / PS/2 / The SAS Cable is a serial link that creates a point-to-point connection between devices / Wireless / 1 x SFP+ - male. Other side 1 x SFP+ - male / PCIe lanes (to system); SAS links, 2x4 internal (to device) / Belaidė / USB jungtis PC, Mac ir PS4. / HD-Mini to HD-Mini SAS / Universal 3.5mm plug / USB, 3.5 mm / 3.5 mm lizdas / Plastic / Metal / USB jungtis / 3,5 mm paausotas stereo mini / USB jungtis arba Bluetooth sąsaja / USB, / USB port or Bluetooth® / LC Fiber Optic /

Port type: Removable Mini-USB 2.0; Braided 1.8 m / GU10 / E14 / RJ45 / Dual LC / USB, removable cable / USB 2.0 Full Speed, 1.8m length cable / 3.5mm / E27 / RJ45 - RJ45 / 3.5 mm jack / 3.5 mm / PC with USB port / USB (2.0/3.0) / USB (2.0 / 3.0) / USB cable: 1.8m, braided, gold plated, removable / Wired, USB / 3.5 mm stereo jungtis ausinėms / Dell PERC H310 Integrated RAID Controller, Mini-Type - Kit / Dell PERC H310 Integrated RAID Controller, Full Height Adapter - Kit / Bluetooth® v3.0 / Hi-Speed USB 2.0 / USB Dongle / USB Mini reciever / USB 2.0 / USB Port / 1 x USB - 4 pin USB Type A / USB / RJ-45 / USB and PS/2 (USB-to-PS/2 adaptor). / LC / Duplex LC

Diameter: 7.5 cm

Focal Length (mm): 10,6 / 3,26 / 1,1 / 10-18mm / 21mm / 12-100mm / 4-112mm / 4.3-258 / 18 - 150 / 18 - 110 / 22,86 - 24 / 16,91 - 21,6 / 42 - 105 / 18 - 50 / 28 - 70 / 12

- 60 / 4,0 - 48,0 / 203,3 x 127 / 4,9 - 78,4 / 7,18 / 13,92 / 11 / 8,02 / 14,95 / 10,20 - 1-22 / 20,7 - 31,05 / 7,41 / 18,2 - 21,9 / 7,51 / 7,26 / 21,95 - 24,18 / 20,77 - 31,173 / 20,07 - 31,05 / 23 - 38,4 / 7,42 / 5,27 / 21,5 - 43 / 22,4 - 44,8 / 22,18 - 33,27 / 21,86 - 24 / 23,5 - 28,2 / 26,9 - 29,84 / 16,72 - 33,47 / 22,41 - 26,82 / 7,017 / 21,79 - 23,99 / 21,3 - 24,5 / 17,4 - 29,0 / 17 - 20 / 17,5 - 29 / 18 - 29 / 18,2 - 29,2 / 13,52 - 16,22 / 21,85 - 24,01 / 24 - 38,2 / 20,91 - 32,63 / 20,91 - 32,62 / 3,71 / 6,4 / 22 - 22,1 / 19 - 23 / 15,75 - 25,1 / 6,9 / 21 - 24,1 / 21,7 - 39 / 6,5 / 18 - 30,6 / 16,88 - 21,88 / 21,0 - 25,6 / 21,8 - 23,98 / 17,09 - 29,05 / 16,7 / 20,42 - 24,5 / 16,9 - 20,28 / 21,9 - 24,0 / 22,04 - 24,14 / 7,15 / 21,28 - 37,94 / 5,38 / 15,98 - 21,42 / 22,37 - 26,73 / 21,0 - 23,1 / 3,72 / 7,35 / 4,78 / 10 - 100 / 12 - 32 / 11 - 27,5 / 14 - 140 / 10 - 30 / 14 - 42 / 17 / 16 - 70 / 15 - 45 / 16 - 50 / 18 - 135 / 18 - 105 / 24 - 105 / 18 - 55 / 4,6 - 18,4 / 4,0 - 112 / 4,3 - 51,6 / 4,5 - 18 / 5,0 - 25,0 / 4,5 - 81 / 5,0 - 40,0 / 3,8 - 247 / 3,74 - 18,7 / 12,5 - 62,5 / 4,4 - 277 / 4,45 - 44,5 / 4,6 - 27,6 / 8,8 - 73,3 / 3,58 - 215 / 35 / 6 - 42,8 / 4,7 - 23,5 / 4,5 - 108 / 10,4 - 37,1 / 4,5 - 112,5 / 8,8 - 25,7 / 50 / 30 / 19 / 4,0 - 160,0 / 4,3 - 258 / 4,5 - 36 / 4,3 - 151 / 4,3 - 172 / 4,3 - 180,6 / 4,5 - 54,0 / 4,3 - 129 / 5 - 25 / 4,6 - 23,0 / 4,3 - 215 / 4,3 - 43 / 5 - 40 / 10,2 - 4,9 / 4,5 - 135 / 4,3 - 21,5 / 4,1 - 12,3 / 4,5 - 90 / 14 / 4,9 - 22,8 / 4,3 - 86 / 8,5 / 4,1 - 123 / 95 / 60 / 14 - 150 / 10 - 24 / 95 / 82 - 109 / 12 / 10 - 30 / 16 - 70 / 11 - 22 / 19 / 6,7 - 13 / 11 - 27,5 / 18,5 / 22 / 7,5 / 30 - 110 / 10 - 100 / 55 - 210 / 45 - 175 / 40 - 150 / 100 - 300 / 12,5 / 14 - 45 / 17 / 15 - 45 / 42,5 / 9 / 14 - 140 / 45 - 150 / 14 - 42 / 24 - 240 / 11 - 20 / 15 - 30 / 17 - 55 / 18 - 300 / 90 - 250 / 35 - 100 / 18 - 180 / 10 - 18 / 16 - 300 / 300 - 800 / 24 - 105 / 55 - 250 / 17 - 35 / 200 / 18 - 35 / 7 - 14 / 10 - 22 / 800 / 650 - 1300 / 500 / 30 / 70 - 400 / 17 - 70 / 120 - 300 / 55 - 300 / 90 / 180 / 40 / 28 - 300 / 16 - 28 / 28 / 16 - 50 / 105 / 17 - 40 / 12 - 24 / 150 / 18 - 270 / 8 - 15 / 70 - 300 / 8 - 16 / 50 - 500 / 60 / 15 - 85 / 300 / 24 / 18 - 105 / 14 - 35 / 28 - 75 / 25 / 11 - 18 / 16 - 105 / 18 - 250 / 150 - 500 / 120 - 400 / 4,5 / 17 - 50 / 10 - 20 / 70 - 200 / 150 - 600 / 14 / 10 / 50 - 100 / 18 - 135 / 14 - 20 / 15 / 75 - 300 / 70-300 / 50-200 / 12 - 60 / 45 / 18 - 55 / 18 - 200 / 8 / 10 - 17 / 55 - 200 / 24 - 35 / 70-200 / 12 - 28 / 11 - 16 / 16 - 35 / 24 - 70 / 100 / 20 / 16 / 50 /

2,8 - 16 / 2,4 - 11 / f/1.4 - f/16 / f/2.0 - f/22 / f/4-22 / f/3.3-6.5 / f/3.4 - 6.9 / 3.5-4.8 / F2.8-22 / f/1.05 / f/2.25 / F/1.7-16 / F3.5-6.5 / F3.3 - F8 / f/2.8 - 22 / F3.2-6.6 / F2.7-F5.9 / F3.7-6.6 / T1.9 / F2,4 - F4 / f/4.5 / f/3.3 - 5.9 / f/1.8 - f/22 / F3.1 / F1.5 / F2.8 - F3.5 / F4.0-F5.6 / F3.5-F6.3 / F2.8-F4 / f:4-5,6 VR II / F3.8-6.3 / F2.2 / F3,5-F6,3 / F2.8-F4.0 / F3.2 / F4.08-5.6 / F3,5-5,6 / F4,5-5,6 / F3.5-F4.6 / 3.1 / F3.5 - F4.5 G / F4.5-5.6G / F4,5-5,6 / F3.5 - F5.6 DI III VC / F2.4 / F5.6 / F4-6.3 / F3.5-6.3 / f/4.5-5.6 - f/32 / F2 / F3.5 - F5.6 OIS / F2.0 - F4.9 / f/2.8D / F4.5-F5.6 / F4.0 / F4.0-F5.6 R / F1.7 II / f:2,0 / F3.5 - F5.6 OSS / f:3.5 / f: 2,0 / f4.0-5.6 / f: 3,5 / f:3,5-5,6 / f:2,8-3,5 / f: 2,8 / F4-F5,6 / f:4,0 / f:1,4 / f:4,5-5,6 / f:4-5,6 / f:3,5-6,3 / F2,0-5,9 / 2.0 / f:4.0-5.6 / f3,5-5,6 / f:3,5 / F3.5 - 6.3 / F4.0 - F5.6 / F/ 5-6.3 / 3.5-5.6G ED VR / F2.8-4. / F1,4 / f:2,8 / f:4.5-5.6 / F2.0-F4,9 / f:2.8 / f:1,8 / F4-5.6 / F2.8-3.5 / F3,5 / F2.8 OIS / F4-F5.6 / F3.5 - F6.3 / f3,5- f5,6 / F2.8 - F5.6 / f/4 - f/5.6 / F5,6 / F4-5.6 OIS / F4 / F1.2 / F2.5 / F3.5 / F2.8-F5.9 / F2,8 / F2.8 / F3.5 - F5.6 / F1.4 / F1.8 / f/2,8 / f/ 4.0-5.6 / F1,5 / F2.0 / F3.5-5.6 / 3,3 - 6,6 / 1.86 (Wide), Aperture: 2.04 (Tele) / F4.0-F5.6 (F22.0) / F4.0-F22.0 / F2.8 - 5.6 / F2.0 - 4.9 / F1.6 / F1.3 / T1.3 / F 2.8 / F4.8-F6.7 / f/2.8-4 / T3.8 / T1.5 / T3.5 / T2.2 / T3.1 / F2.8 - F6.5 / F4 - F22 OSS / F3.9 - F5.7 / F3.1-F6.3 / F3.6-F7.0 / F3.8 - F6.9 / F3.2 - F6.9 / f/3,7-6,6 / f/3.5-6.2 / F1.7 - F2.8 / f/5-6.3 / f/3.8-6.3 / F3.4 - F6.0 / F1,8-3,4 / f/2.2 / F2.8-5.9 / F6,3 / F1.7 / F4.5 - F6.3 / F3.0 - F6.5 / F/3.2 / F3.5 - F5.7 / F3,1-5,9 / F3,4-6,3 / F3,2-6,5 / F3.2-F6.9 / F3.2-6,9 / F: 3.5 - 5.9 / F3.3 - F6,4 / f/3.1 / f/3.5D / F4-5.8 OIS / F3.4 - F6.5 / f/3-5,8 / f/6.3 / f3,3-6,3 / F2.6 - F6.3 / f/8 / f/3.5 - 5.6 - f/22 - 36 / f/3.5 - 6.3 - f/22 - 40 / f/2.8 - f/22 / f/3.5-4.5 / f/2.4 / F/3.2 / f/ 1.4 / f/5.6 / f/4-6.3 / F2.8-4.5 / f/3.5 / f32 - f5.6 / f4.5 - f32 / f/3.8-5.6 / f/4.5 - f/32 / f/3.5-4.5 - f/22 / f/3.5-5.6 - f/22 / F/4 - F/22 / f/2.8 - f/32 / f/2 / F1.8 - F2.8 / F3.0 - F4.8 / 70-200mm / 24 - 450mm / 25 - 550mm / 25 - 300mm / 26 - 156 mm / F3.3 - F4.9 / 2.8 / F/4.0 / F3.1-F5.9 / F2.8 - F22 / f: 3,5-4,5 / F1,8-F4,9 / f/3.4-f/6.9 / F1.4 - F2.3 / F2.8- F8.0 / 25 - 600mm / F3.5-F5.6 / F4.5 - F6.7 / F2.0 - F5.9 / F1.8G / F3 - F5.9 / F2.8 - F5.9 / f2,8-4,0 / f: 3,5-6,3 / F1.4 - F2.7 / F1.8 - F4.9 / F3.5 - F5.9 / f1,8 / f3,5-6,3 / F4,5-5,6 / F3,5-4,5 / f: 2,8-3,5 / f/3.5-5.6 / f/2.8-3.5 / f/2.8 /

f/4.5-5.6 / F2.0 - F2.8 / F3.5-4.5 / F2.8 - F6.9 / F/3.5-6.3 / f/4.0-5.6 / F3,5
â€“ F6,5 / F3.3 - F6.3 / F3.7 - F6.6 / f:5-6,3 / f/3.5-6.3 / 1.8 - F2.5 /
80-400mm / f/5-6.3 / f/3.5-5.6 / F3.5 - F5.5 / 26â€“182 mm / F3.9 - F5.4 /
F3.1 - F6.5 / F8.0 / F3,3 - F6.1 / F3.4 - F5.8 / F2.0 - F4.0 / f/1.4 / F3.3 -
F6.4 / F3.4 - F5.7 / F2.5 - F6.3 / F1.8 - F5.7 / F3.4 - F5.9 / F2.8 - F5.8 /
F3.5 - F6.8 / f/1.8 / f/3,3â€“6,3 / F3.1 - F6.3 / F3.5 - F4.6 / F3.1 - F5.9 /
F1.8 - F2.7 / f/3.2 â€“ f/6.9 / F2.5 - F6.4 / F3.9 - F6.2 / f/4-5.6 / F3.9 - F5.9
/ f/3,5â€“6,5 / F2.7 / F1.8 - F2.5 / F3,8-5,6 / F3.2 - F6.5 / F2.9 - F6.5 / 25
â€“ 100mm / F3.5 - F5.3 / F3.0 - F6.9 / F3.9 - F4.8 / F3,5 - F5,3 / f/2.0 /
F3.3 - F6.5 / F1.8 - F5.6 / F2.0 - F3.3 / 25 â€“ 250mm / F3.0 - 6.9 / F2.0 -
F3.9 / F3.7 - F6.4 / F2.9 - F5.9 / 28 â€“ 112mm / F3.9 - F4.9 / f/3,2â€“f/6,9
/ f/1.8 / F4.5-5.6 / F3.2 - F5.8 / f/1.2 / f/2.5 / F3.3 - F5.9 / F3.5 - F6.5 / F3.0
- F5.9 / F4,5 - F6,3 OSS / F2.8 - F4.9 / f/1.5 / f/2 / F2.8 - F5.2 / 2,8 - 6,3 /
3,5 - 6,3 / 3,7 - 6,4 / 2,8 - 11 / 3,2 - 5,8 / 3,1 - 5,9 / 3,1 - 6,3 / 3,9 - 5,7 / 3,0
- 5,9 / 3,5 - 5,7 / 3,9 - 4,8 / 3,5 - 5,6 / 3,5 - 6,5 / 3,3 - 6,3 / 3,5 - 5,5 / 2,8 -
5,9 / 2,0 - 5,9 / 3,5 - 4,8 / 2,0 / 1,8 - 4,9 / 2,8 - 8,5 / 3,2 - 6,6 / 1,8 - 2,8 / 3 -
6,5 / 3,3 - 6,5 / 3,7 - 6,6 / 3,4 - 6,9 / 3,3 - 6,9 / 3,5 - 6,6 / 3,6 - 7 / 3,3 - 8,0 /
3,9 - 4,9 / 3,2 - 6,5 / 2,0 - 4,9 / 3,2 - 6,9 / 2,8 - 4,9 / 3,4 - 6,5 / 3,3 - 6,4 / 4 -
22 / 3,3 - 5,9 / 2,8 / 3,5 - 6,4 / 14 / 0,626 (wide tele) / 1,28 (wide) - 1,536
(tele) / 1.2:1 (40"@1m) / 0.6:1 / 12,7 / 0.69-0.83 (65.7"@ 1M) / 1.95 to
2.15:1 / 1.5 ~ 1.8:1 / 1.96 to 2.18:1 / 1.1:1 / 1.49 - 1.79 (62" @ 2m) / 1.15
~ 1.5 (78.3" ±3% @ 2 meters) / 2m (1.07 ~ 1.45:1) / 85"@2m (1.07 ~
1.45:1) / 1.86-2.04 (53" @ 2m) / 0.3 / 1.96-2.15 (78"@3.1m) / 1.15 - 1.5 /
1.55-1.7 (87"@2.9m) / 1,41 - 2,24 / 1.86 - 2.95 / 1,4 ~ 2,3 (Plotis 60 "± 3%
@ 1.7m) / 1.39~2.26 / 1.55~1.7 (Plati: 87"±3% @ 2.9m) / 1.86 ~ 2.04:1 /
1.45 - 1.96 (Wide - Tele) / 1.96 - 2.15:1 / 0.72~0.87 (87" ± 3% @ 1.36m) /
1.96-2.15 (78" @ 3.1m) / 0.37 / 1.5 - 1.8 : 1 / 0.36 (95" ±3% @ 0.76m) /
0.8: 1 / 1.48 - 1.77 (Wide - Tele) / 0.9-1.08 (78" @ 1.44m) / 0.35 / 1.16
(40" @ 1m) / 36cm (0.37:1) / 39cm (0.47:1) / 2m (1.21 ~ 1.57:1) / 2m
(1.51 ~ 1.97:1) / 2m 1.50 ~ 1.65:1 / 2m (1.86 - 2.04:1) / 2m (1.50 - 1.65:1)
/ 53", 2m (1.86 - 2.04:1) / 1.5-1.97 (65" ±3% @2m) / 1.39 - 2.09 (65" @
2m) / 0.52:1 / 0.62:1 / 0.617:1 / 1.5:1 / 0.69 to 0.76: 1 / 1.28 to 1.54: 1 /
1.6 to 1.92:1 / 1.15 to 1.5:1 / 0.5:1 / 1.48 ~ 1.62:1 / 1.55 to 1.7:1 / (4:3)
0.33 - 0.44, (16:10) 0.27 - 0.37, (16:9) 0.27 - 0.37 / 1.15-1.5
(100"@2.5M) / 1.30 - 1.56:1 / 1.5 - 2.5:1 / 1.4 (wide and tele) / 1.5 (wide
and tele) / 0.61 (78"@0.96m) / 1.04 - 1.26:1 / 1.38 - 2.24:1 / 0.49
(87"@0.91m) / 1.19 (Zoom:Wide), 1.43 (Zoom:Tele) / 1,6 (wide) - 1,92
(tele) / 0.626 (wide and tele) / 1,85 (wide) - 2,22 (tele) / 1.15-1.5

Weight: 555g

Filter size (mm): 87 / 74 / 35 / 34 / 42 / 46 / 43 / 86 / 95 / 105 / 82 / 49 / 62 / 77 / 72 / 40,5 /
40,5 / 40,5 / 37 / 55 / 52 / 67 / 58

Type of sensor: Photoelectric / photo optical / Photoelectric / Thermal / Optoelectronic /
Laser / Optical / Nikon CX / Q sensor / Micro FourThirds / Full Frame / FT
(FourThirds) / APS-C / Full Frame / APS-C

Closest focusing distance: 0.24 m

Image stabilisation:

Warranty: 24 month(s)

Magnification: 1:7.8 x

Weight: 555 g

Focal length range (f-f): 8 - 16 mm

Gross weight: 0.84 kg

Length: 10.57 cm

Focal length (35mm film equivalent): 240 mm

Diagonal angle of view (max): 114.5 °

Net weight: 0.70 kg

Lens type: Tilt-shift / Tele objektyvai / Vidutinio židinio nuotolio / Portretiniai / Plačiai

Colour of product: Black

Producer product name: 8-16mm F4.5-5.6 DC HSM

Other features: The Sigma 8-16mm F4.5-5.6 DC HSM is an ultra-wide angle lens designed specifically for APS-C DSLRs. FLD glass elements (with performance equal to fluorite) help compensate for color aberration while a hybrid aspherical lens and two glass mold elements provide excellent correction of distortion and astigmatism. A highly creative tool, the Sigma 8-16mm 4.5-5.6 DC HSM features an inner zoom system as well as the feature of full-time manual focus override. Ideal for a variety of photography subjects including landscape photography, architectural photography, wedding photography, photojournalism and interior photography to name a few.

Maximum aperture number: 22

Lens structure (elements/groups): 15/11

Auto focus: Yes

Number of diaphragm blades: 7

Camera brands compatibility: Nikon

Židinio nuotolis:

Gross depth (mm): 180.00 mm

Gross width (mm): 120.00 mm

Gross height (mm): 130.00 mm

Packing quantity: 1.00 pc(s)

Volume (m3): 0.00 m³

Tare weight (kg): 0.14 kg

Gross depth master carton: 180.00 mm

Gross width master carton: 120.00 mm

Gross height master carton: 130.00 mm

Net weight master carton: 0.70 kg

Tare weight master carton: 0.14 kg

WEEE tax: Yes

WEE classification: CL109:5:2017-04-01

Paper/Pasteboard: 92.00 g