

SONY DSC-RX100 IV (Product code: QUC-1354)

Price: 645.99 €



**Description:**

Sony DSC-RX100 IV

20,1 MP vaizdo kokybė, elektroninis vaizdo iešiotis, kintamas ZEISS objektivas ir kompaktiškas aparatas – RX100 IV skirtas keliauti mėgstantiems rimtiems fotografams.

- 20.1 milijonų vaizdo taškų

- 24mm plataus kampo objektivas

- kintama diafragma

F1.8 - F2.8

- Jautrumas iki 12800 (ISO)

- 4K filmavimas

- 3.5" LCD

WhiteMagic TFT LCD

ekranas, pakeliamas

- Video formatai: MPEG-4, AVCHD, XAVC S

- Integruotas Wi-Fi

Gamintojo svetainė

**Technical specifications:**

Weight: 298 (g)

Color: Pink / Gold / Black / Mint Green / Rožinė - auksinė ir ruda / Juoda geležies / weiß / schwarz / Anthracite / Orange / blau / silber / Blue / Coal / blau / schwarz / orange / schwarz / grün / anthrazit / Brown / Pink / schwarz / Silver / Gold / See Description / silver / pink / Blue / Brown / Beige / Red / Beige / Brown / Beige / Pink / Beige / Blue / grün / schwarz / Pink / Orange / Transparent / Red / Transparent / Yellow / Grey / Pink /

Transparent / Brown / Metallic / Green / Gold / Transparent / Grey / rose / pink / Transparent / Gold / Blue / Yellow / Pink / Transparent / Blue / Transparent / Green / Transparent / Olive Green / Khaki / Orange / Brown / Brown / Orange / Yellow / Transparent / Stone / Olive Green / Grey / Orange / Grey / Purple / Grey / Ruda / Mėlyna / Geltona / Mėlyna / Transparent / Purple / Grey / Silver / Anthracite / Blue / Orange / White / Transparent / White / White / Cream / Transparent / Blue / Transparent / Pink / Transparent / Green / Silver / Copper / Zwart / lavendel / Lavender / White / Turquoise / White / Mint / White / Mint Green / Pink / Blue / Cream / Black / Titanium / Anthracite / Stainless Steel / Red / Silver / Anthracite / White / Violet / Transparent / Silver / Black / Transparent / White / Stainless Steel / Black / Stainless Steel / Purpurinė / Juoda / Transparent / Black / Juoda / Auksinė / Grey / Gold / Blue / Silver / Brown / Gold / Black / Titanium / Purple / Beige / Gold / Silver / Pink / Silver / White / Champagne / Dark Grey / Bright Green / White / Brown / White / Yellow / Silver / Green / White / Black / Orange / Cherry / White / Transparent / Anthracite / Grey / White / Anthracite / Light Grey / Anthracite / Brown / Grey / gris / marrón / Light Grey / Black / Grey / Anthracite / Light Grey / Dark Grey / Pilka / Champagne / Black / Silver / Turquoise / Pink / Yellow / Green / Orange / Beige / Black / Juoda / Magenta / Pilka / Oranžinė / Green / Grey / Orange / Black / Mėlyna / Balta / Pink / Grey / Green / Black / Pilka / Raudona / Grey / Yellow / Black / Turquoise / Pilka / Mėlyna / Silver / Grey / Silver / Red / Turquoise / White / Blue / Green / Grey / Green / Purple / White / Pilka / Balta / Turquoise/Green / Green / Blue / Champagne / Silver / Anthracite / Silver / Anthracite / Black / Orange / Yellow / Blue/ Orange / Grey / Purple / Silver / Titan / Violet / Pink / Green / Silver / Sidabrinė mėlyna / Pink / White / Purple / Silver / Black / Copper / Turquoise / Silver / Walnut / Silver / Silver / White / Silver / Brown / Wood / Juoda / Rožinė / Balta / Rožinė / Blue / Red / Juoda / Ruda / Spalvota / Balta / Raudona / Sidabrinė / Ruda / Sidabrinė / Oranžinė / Raudonmedžio / Beech / Plieno / Mėlyna / pilka / Žalia / Juoda / Žalia / kaki / Colours Assorted / Pink / Black / Brown / Silver / Balta, žalia / Juoda su rožiniu laikikliu / Juoda su žaliu laikikliu / Chocolate Black IMR with Hairline / Nerūdijančio plieno ir juoda / Juoda ir rožinė / Balta ir oranžinė / Green/White / Peppermint / Indigo / Concrete / Ruda / Corn / Juoda su mėlynu propeleriu / White/Inox / Tamsi metalo / Forest / Light Blue / Tomato / Graphite Silver, Anodized aluminum / Kremu / Balta su juodu rėmu / Elektrinė metalo / Nerūdijančio plieno rėmas / Balta ir auksinė / Kreminė balta / Balta ir rožinė / Tamsaus medžio / Tamsiai juoda ir chromuoto vario / All Black / Amber / Black Pearl / • Priekinis kraštas: Juoda • Galinis dangtis: Juoda • Pagrindas: Juoda • Paviršius: Tekstūra / Šlifoto metalo, Išgraviruotas skydelis / perlų metalo / Black, Grey / Plienas / Pliėninė / Stainless steel, Silver / Stiklas/Nerūdijantis plienas / Žėrinti mėlyna / Matt Black / Silver/Green / Ember Orange / Hunter Green / Apple Green / Blackberry / Tobacco / Clear / Coffee Milk/Grey / Dark Brown / Coloured / Balta / Auksinė / Ash Grey / Metalico Black / Denim blue / Electric aqua / Khaki / Ink Black / Silver metal, black / Metallic gray / White Grey / Star White / Silent grey / New Blue / Brushed aluminium / Brushed metal red / Grass Green / Metal/black / Silver, Stainless steel / Stainless steel / Black / Bright copper / Deep Black and Titanium / Star White, black and red / Oyster Metallic / Silver and Black / Lava Red / Inox - Fingerprint Proof / Silver-Metallic / Blue-Lilac-Metallic / White/Violet / Color: Black and dark blueFinishing: Silver lacquer and rubber / Black and red / brushed metal - black / Steel/black / Black and grey / Brushed metal Engraved panel / Dark Night / White and violet / Black with orange details / Black with grey details / black-white / Star white and resilient blue / Glossy Black & Purple gradient / Colour : Bianco Handle colour : White Handle type : Flush / Polished stainless steel / metal / Chrome red / Chrome blue / PC high gloss and matt / Black and Chrome / Black, Stainless steel / Black - Stainless steel / Forest Green / Gun Metal / Silver and Metal Frames / Dark grey / brilliant white / Glass clear / Glossy White/ Anthracite / Light Green / Cognac brown / Flacon blue / Star blue / Brushed metal champagne / Primary red / Sparkling blue / Bright blue / White and yellow / Black, metal and red / Deep black and green / White and blue / Olive green metal / Aluminium Grey / White, black and red /

Bright green / Silver & Orange / White/Beige / Matt White / Black and stainless steel / Black/Orange/White / Olive / Basalt Black / Beige/Brown / Papaya / Brushed metal / Cover Black / Body light grey / White and beige / Silver/Blue / Doors-Black with silver extrusion; Frame-Black / Black/Purple / Ivory / Black/Mint / Šviesiai žalia / Light Grey/Mid Grey / Grey/Oak / Aluminum Finish / Carbonite / Graphite / Brushed metal and black / Sidabrinė / Black/Light Grey/Grey/Red / Dark Red / Bamboo / Smoke / Burnt Umbra / Black/Metallic/Red / SILVER/WHITE / Nerūdijanči o plieno / Classic / Metal Dust / Berėmis baltas stiklas / Sodri juoda su sidabro spalvos akcentais / Nerūdijnačio plieno / All Black / Juoda/Oranžinė / Sidabrinė/Mėlyna / Nerūdijančio plieno/Balta / Juoda/Raudona/Geltona/Žalia / Nerūdijančio plieno/Sidabrinė / Yellow/Black, / Vanilla / Cyan Blue / Bambukas / Nerūdijnačio plieno / Iron Gray / Baltas/Sidabrinis korpusas / Juoda/Raudonas / Raudona/Nerūdijančio plieno / Juoda-žalia / Aliuminio ir balto stiklo / Rožinė-balta / Tamsi sidabrinė/Juoda / Juodos spalvos grūdinto stiklo durų paviršius; šonai dažyti pilka metallic spalva / Su lūpomis / Juoda+Juodas stiklas / Sidabrinė/Balta / Violetinė/Balta / Metalu/Juodas / Gėlėtos / Plieno juoda / Metalinis / Juoda - Raudona (burgundiška) / Mėlynas stiklas / Nerūdijančio plieno/Sidabrinė / Ruda/Balta / Medžio / Mėlyna ir violetinė / Balta/Pilka/Raudona / Korpusas: juodas; Pagrindas: pilkas / Permatoma/Balta / Mėlyna + Sidabras / Šviesiai sidabrinė / Rožinė (Fuschia) / pilkas / Balta/Rožinė / Tviskančiai balta ir rusvai gelsva / Avietinė / Avena 51 / Žalsva / Šviesiai žalia / Black/Red / Balta, raudona, juoda / Pilka, balta / Rožinė, žalia, violetinė / Raudona, oranžinė, geltona, žalia / Balta, geltona / Pilka, oranžinė / Geltona, ruda / Pilka, melsva, kreminė / Žalia, pilka, balta / Platinos / Skaidrus viršelis / Sidabrinė, akmens spalva / Pilka, juoda / Balta, kreminė, pilka / Matinė raudona / Raudonai purpurinė / Metalinė pilka / Balta, rožinė / Juoda, Pilka / Aliuminio spalva / Blizgi violetinė / Blizgi purpurinė / Balta, mėlyna / Matte black/green / Blizgi juoda ir soft touch / Nerūdijančio plieno/ Juoda / Metalu sidabrinė / Rausva / Violet / rožinis / Dujų suvartojimas 150 g / h / Dujų suvartojimas 73 gr/h / Blizgi juoda + tekstūra / Brown su ruda odine apyranke / Blizgi juoda + minkštos gumos apdaila / White/Red / Oranžinė, raudona ir pilka / Balta su chromuotomis durimis / Metalu auksinė / Balti ašmenys, juoda rankena / Žalia ir balta / Švelni matinė turkio (mėlyna) / Balta ir mėlyna/violetinė / Alyvuogių / Sidabrinė ir metalu / Balta ir pilka /

Connections: mini HDMI, USB 2.0 (Hi-Speed), Wi-Fi

Sensor size: 1" (13.2 x 8.8 mm) tipas CMOS

Objektyvas: Carl Zeiss

Focusing: Automatinis, Rankinis

Power source: Ličio jonų elementas NP-BX1 (apie 320 kadru)

Cables included: USB

Compatible memory cards: MicroSD (TransFlash), MicroSDHC, MicroSDXC, MS Duo, MS Micro (M2), MS PRO Duo, MS PRO Duo HS, MS Pro-HG Duo, MS XC-HG Duo, SD, SDHC, SDXC

Full HD: Yes

Židinio nuotolis ir diafragma: F1.8 (W) - 2.8 (T), f = 8.8-25.7mm

Stabilizer: Optinis

Megapixel: 20.1 MP

Aperture: F1.8 - F2.8

Filming resolution: H.264: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / 640 x 480 / 320 x 240M-JPEG: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / / 1080P mode: H.264: 1080P / 640 x 360 / 320 x 180 / 160 x 90M-JPEG: 1080P / 640 x 360 / 320 x 180 / 160 x 90MPEG4: 640 x 360 / 320 x 180 / 160 x 90720P mode: H.264: 1280 x 720 / 640 x 360 / 160 x 90M-J / H.264:

1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / 640 x 480 / 320 x 240M-JPEG: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / / 1080P mode: H.264: 1080P / 640 x 360 / 320 x 180 / 160 x 90M-JPEG: 1080P / 640 x 360 / 320 x 180 / 160 x 90MPEG4: 640 x 360 / 320 x 180 / 160 x 90720P mode: H.264: 1280 x 720 / 640 x 360 / 160 x 90M-J / H.264: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / 640 x 480 / 320 x 240M-JPEG: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / / 1080P mode: H.264: 1080P / 640 x 360 / 320 x 180 / 160 x 90M-JPEG: 1080P / 640 x 360 / 320 x 180 / 160 x 90MPEG4: 640 x 360 / 320 x 180 / 160 x 90720P mode: H.264: 1280 x 720 / 640 x 360 / 160 x 90M-J / H.264: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / 640 x 480 / 320 x 240M-JPEG: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / / 1080P mode: H.264: 1080P / 640 x 360 / 320 x 180 / 160 x 90M-JPEG: 1080P / 640 x 360 / 320 x 180 / 160 x 90MPEG4: 640 x 360 / 320 x 180 / 160 x 90720P mode: H.264: 1280 x 720 / 640 x 360 / 160 x 90M-J / H.264: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / 640 x 480 / 320 x 240M-JPEG: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / / H.264: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / 640 x 480 / 320 x 240M-JPEG: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / / 2704 x 1520 / 4K (3840 x 2160) / AVCHD: 1920 x 1080 (50p / 28 Mbps / PS, 50i / 24 Mbps / FX, 50i / 17 Mbps / FH, 25p / 24 Mbps / FX, 25p / 17 Mbps / FH), MP4: 1440 x 1080 (25 kadr./sek. / 12 Mbps), 640 x 480 (25 kadr./sek. / 3 Mb / AVCHD: 1920 x 1080 (60p, 28M, PS), 1920 x 1080 (60i, 24M, FX), 1920 x 1080 (60i, 17M, FH), 1920 x 1080 (24p, 24M, FX), 1920 x 1080(24p, 17M, FH) MP4: 1440 x 1080 (30 kadr./sek.) VGA (640 x 480 / 640 x 480 30 kadr./s / + / VGA 640x480 (30 kps), VGa 320x240 (30kps) / 1440 x 1080 (30 fps) / VGA640 x 480@30k/s / 640x480 vga 30k/s / Full HD (1920x1080) / Taip, HD (1280 x 720, 24 k/s, VGA 640 x 424/24 k/s QVGA 320 x 216/24 k/s) / 640x480 (30kps) / HD 1920 x 720p / 60 fps / - / H.264: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / 640 x 480 / 320 x 240M-JPEG: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / / H.264: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / 640 x 480 / 320 x 240M-JPEG: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / / H.264: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / 640 x 480 / 320 x 240M-JPEG: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / / H.264: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / 640 x 480 / 320 x 240M-JPEG: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / / H.264: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / 640 x 480 / 320 x 240M-JPEG: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / / H.264: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / 640 x 480 / 320 x 240M-JPEG: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / / H.264: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / 640 x 480 / 320 x 240M-JPEG: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / / H.264: 1440 x 1440 / 1600 x 1200 / 1280 x 1024 / 800 x 600 / 640 x 480M-JPEG: 1440 x 1440 / 1600 x 1200 / 1280 x 1024 / 800 x 600 / 640 x 480MPEG4: 1440 x 1440 / 1600 x 1200 / 1280 x 1024 / 800 x 600 / H.264: 1920 x 1920 / 1920 x 1080 / 1600 x 1200 / 1440 x 1080 / 1280 x 1024 / 800 x 600 / 640 x 480 / 320 x 240M-JPEG:



depth, 640 x 480 effective pixel resolution, / The Cisco SPA8800 enables service providers to provide customized services to their subscribers. The gateway can be remotely provisioned and supports dynamic, in-service software upgrades. A highly se / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5.6-inch (14-cm) graphical TFT color touchscreen display, 24-bit color depth, 640 x 480 effective pix / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5.6-inch (14-cm) graphical TFT color touchscreen display, 24-bit color depth, 640 x 480 effective pix / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5.6-inch (14-cm) graphical TFT color touchscreen display, 24-bit color depth, 640 x 480 effective pix / 5-inch (12.5 cm), high-resolution (320 x 222), graphical monochrome 4-bit grayscale display. Allows for greater flexibility of features and applications, and significantly expands the information view / VGA presentation for calling, video calling and applications. 5-inch (10 cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, with backlight. Display also support / 5.6-inch (14 cm) graphical TFT color touchscreen display, 16-bit color depth, 320 x 240 effective pixel resolution, with backlight. Allows for greater flexibility of features and applications, and sig / 5-inch (12.5 cm), high-resolution (320 x 222), graphical monochrome 4-bit grayscale display. Allows for greater flexibility of features and applications, and significantly expands the information view / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5-inch (10-cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5-inch (10-cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5-inch (10-cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, / The Cisco SPA8800 enables service providers to provide customized services to their subscribers. The gateway can be remotely provisioned and supports dynamic, in-service software upgrades. A highly se / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5.6-inch (14-cm) graphical TFT color touchscreen display, 24-bit color depth, 640 x 480 effective pix / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5.6-inch (14-cm) graphical TFT color touchscreen display, 24-bit color depth, 640 x 480 effective pix / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5.6-inch (14-cm) graphical TFT color touchscreen display, 24-bit color depth, 640 x 480 effective pix / 5-inch (12.5 cm), high-resolution (320 x 222), graphical monochrome 4-bit grayscale display. Allows for greater flexibility of features and applications, and significantly expands the information view / VGA presentation for calling, video calling and applications. 5-inch (10 cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, with backlight. Display also support / 5.6-inch (14 cm) graphical TFT color touchscreen display, 16-bit color depth, 320 x 240 effective pixel resolution, with backlight. Allows for greater flexibility of features and applications, and sig / 5-inch (12.5 cm), high-resolution (320 x 222), graphical monochrome 4-bit grayscale display. Allows for greater flexibility of features and applications, and significantly expands the information view / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5-inch (10-cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5-inch (10-cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5-inch (10-cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, / The Cisco SPA8800 enables service providers to provide customized services to their subscribers. The gateway can be remotely provisioned and supports dynamic, in-service

software upgrades. A highly se / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5.6-inch (14-cm) graphical TFT color touchscreen display, 24-bit color depth, 640 x 480 effective pix / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5.6-inch (14-cm) graphical TFT color touchscreen display, 24-bit color depth, 640 x 480 effective pix / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5.6-inch (14-cm) graphical TFT color touchscreen display, 24-bit color depth, 640 x 480 effective pix / 5-inch (12.5 cm), high-resolution (320 x 222), graphical monochrome 4-bit grayscale display. Allows for greater flexibility of features and applications, and significantly expands the information view / VGA presentation for calling, video calling and applications. 5-inch (10 cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, with backlight. Display also support / 5.6-inch (14 cm) graphical TFT color touchscreen display, 16-bit color depth, 320 x 240 effective pixel resolution, with backlight. Allows for greater flexibility of features and applications, and sig / 5-inch (12.5 cm), high-resolution (320 x 222), graphical monochrome 4-bit grayscale display. Allows for greater flexibility of features and applications, and significantly expands the information view / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5-inch (10-cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5-inch (10-cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5-inch (10-cm) graphical TFT color display, 24-bit color

PictBridge: No

additional information: Integruotas WI-FI

8x padidinimas / 8x priartinimas / 12 x / 13x / 23x / 8 x;  
â€ŽZoomPlusâ€œ 20 k. / 83.3x / 52x / 8x; â€ŽZoomPlusâ€œ 16 k. / 12x;  
â€ŽZoomPlusâ€œ 20 k. / 65x / 3,1 x / x4 / x32 / 2.9x / x16 / x20 / x8 / 10  
x; â€ŽZoomPlusâ€œ 20 k. / 8.3x / 4.2x / 11,1x / 20x HD Video Lens  
supplied Independent Zoom, Iris and Focus rings / 3,6x / skaitmeninis /  
22x / 4.1x / 30 x / 26x / 7x / 46x / 3.3x / 3.6x / 4.6x / 8 x / 16x / 5 x / 40 x /  
34x / 42 x / 40x / 37 x / 36x / 25 x / 14x / 10 x / 44x / 7.1x / 20 x / 60x /  
3.8x / 5x; â€ŽZoomPlusâ€œ 10x / 4x / 11x / 25x / 21x / 10.7x / 42x / 3x /  
5x / 24x / 2,8 / 17 / 16 / 11 / 21 / 22,0 / 23 / 4,8 / 38 / 27 / 1,0 / 32 / 28 / 4 /  
18 / 4,2 / 65 / 63 / 6 / 8,3 / 7,1 / 2 / 24 / 3,6 / 25 / 60 / 35 / 40 / 42 / 12 / 50  
/ 10 / 8 / 5 / 3 / 4,6 / 20 / 30 / 12x / 10x / 1: 7,1 Maksimalus didinimo  
santykis / Židinio nuotolio apręptis: 24–105 mm / Manual (x1,2) / Up to  
18x optical zoom PTZ camera / 1.2x / Manual, Factor: 1.2 / Manual,  
Factor: 1.6 / 20x / 38x / 50x / 7x priartinimas / 12x priartinimas / 1.3x / 6x /  
x35 / 32x / 18x / 30x / 8x / 10x priartinimas / 8-16x padidinimas / 10-30x  
priartinimas / 27x

Memory card type: CFast / XQD card / microSDHC / microSDXC / Memory Stick / Other  
Storage Cards / Compact Flash / SD / SDHC / SDXC / microSD / SD /  
SDHC / microSD / microSDHC / microSDXC / microSD / microSDHC / SD  
/ MMC / MS Pro Duo / SDHC / Micro SDXC / SDXC / Micro SD / Micro  
SDHC / CF I

Width: 10.2 cm

Height: 5.81 cm

Depth: 4.1 cm

Optical zoom: 2.9 x

Digital zoom: 11 x

HDMI: Yes

Display: LCD pixels

Sensitivity (ISO): Auto, 125-12800

Effective pixels: 20.2 milijonų vaizdo taškų

Exposure correction:  $\pm 3$  EV (at 1/3 EV žingsniu)

3.0 kps, neribojama, 1.5 kps iki 4 RAW kadru / 3 kadru per sekundę / 3kps / 5.9 kps / 6 kps / 4.6 (kps) / 0,8 kps / 4(kps) / 5,9 kps / 16 (kps) / 60 fps / 3 k/s / 5.8 fps / 5.6 fps / 8.3 (kps) / 6,5 kps / 11 k/s / 8 kps / 6 k/s / 1 (kps) / 5 kadrai per sekundę / 5kps / 1.0 (kps) / 5, 15, 30 arba 60 fps / 12.2 (kps) / 10 k/s / 8,0 kps / 6,0 kps / 0.9 (kps) / 3.8 k/s / 2,3(kps) / 4 k/s / 15 (kps) / 7,5 (kps) / 9.6 (kps) / iki 20 (kps) / 15k/s / 6,5 (kps) / 5,6 (kps) / 5k/s / 12 fps, iki 10 fps (CL); 10 $\times$ 12 fps arba 14 fps su veidrodžio pakėlimu (CH); arba 3 fps (tylusis nepertraukiamo fotografavimo režimas) / 7 kadrai per sekundę / 0,8 k/s / 1,1 (kps) / 5-7 nuotraukos per sekundę / 0.8 (kps) / 7.8 (kps) / 11 (kps) / 5,5 k/s / 14 (kps) / 2.5 (kps) / 5.0 kadru per sekundę / 3,3 (kps) / 0,52 k/s / 1 k/s / 7 nuotraukos per sekundę / 6 (kps) Continuous režimas / Maždaug 5, 15, 30 arba 60 kps / 5 k/s / 12 (kps) / 2,1 (kps) / 1,1(kps) / 1.2 (kps) / 4,5 nuotraukos per sekundę, iki 100 nuotraukų serijoje JPEG / 4.3 (kps) / 4.5 (kps) / 8 (kps) / 9 (kps) / 5.3 kadru per sekundę iki 90 nuotraukų serijoje (JPEG) formatu / 8.5 (kps) / 4 (kps) / 10(kps) / 10 fps (CL) arba 10 $\times$ 11 fps (CH) / 2 (kps) / 1.5 (kps) / Iki 10 nuotraukų per sekundę (CL) arba 10 $\times$ 11 nuotraukų per sekundę (CH) / 6,3 (kps) / iki 5 (kps) / 4.6 nuotraukos per sekundę, / 3.7 (kps) / 9 kps / 7 (kps) / 8,3 (kps) / 7 k/s / 4.2 (kps) / 1.3 (kps) / 2,2 (kps) / 5 (kps) / 6 (kps) / 10 (kps) / 3 (kps) / 3,5 k/s

Židinio nuotolis: 24 $\times$ 70 mm

Screen pixels: 1228 800

Matmenys (PxAxI): 102 x 58 x 41 mm

Minimalus fokusavimo atstumas: 5 (cm)

Warranty: 24 month(s)

Maximum image resolution: 5472 x 3648 pixels

Fastest camera shutter speed: 1/32000 s

Slowest camera shutter speed: 30 s

Flash range (wide): 0.4 - 10.2 m

Flash range (tele): 0.4 - 6.5 m

Display diagonal: 7.62 "

Display resolution (numeric): 1228800

Weight: 271 g

Focal length range (f-f): 24 - 70 mm

Image sensor size (W x H): 13.2 x 8.8 mm

Maximum video resolution: 3840 x 2160 pixels

Self-timer: 2,5,10 s

Battery life (CIPA standard): 280 shots

Weight (including battery): 298 g

Video resolutions: 1920 x 1080,3840 x 2160 pixels

Gross weight: 0.86 kg

Net weight: 0.60 kg

White balance: Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Incandescent, Shade

Sensor type: CMOS



Colour of product: Black

Producer product name: DSC-RX100M4

Wi-Fi: Yes

Built-in microphone: Yes

USB version: 2.0

Wi-Fi standards: 802.11b, 802.11g, 802.11n

Near Field Communication (NFC): Yes

HD type: 4K Ultra HD

Battery technology: Lithium-Ion (Li-Ion)

GPS (satellite): No

Image stabilizer: Yes

AC adapter included: Yes

Camera type: Compact camera

Still image resolution(s): 5472 x 3080\n3648 x 2056\n2720 x 1528

Supported aspect ratios: 1:1, 3:2, 4:3, 16:9

Focus adjustment: Auto/Manual

Auto focusing (AF) modes: Continuous Auto Focus, Single Auto Focus

Auto Focus (AF) lock: Yes

ISO sensitivity: 125, 160, 200, 250, 320, 400, 500, 640, 800, 1000, 1250, 1600, 2000, 2500, 3200, 4000, 5000, 6400, 8000, 10000, 12800, 25600

Light exposure modes: Aperture priority AE, Auto, Manual, Shutter priority AE

Light exposure correction: ± 3EV (1/3EV step)

Light metering: Centre-weighted, Spot

Flash modes: Auto, Flash off, Flash on, Slow synchronization

Video recording: Yes

Video formats supported: AVCHD

Vari-angle LCD display: Yes

HDMI connector type: Micro

Scene modes: Close-up (macro), Fireworks, Landscape, Night, Night portrait, Pet, Portrait, Sports, Sunset, Twilight

Photo effects: Vivid

Power source type: Battery

Minimum aperture number: 1.8

Maximum aperture number: 2.8

Batteries included: Yes

Display aspect ratio: 4:3

Wrist strap included: Yes

Image processor: BIONZ X

Gross depth (mm): 155.00 mm

Gross width (mm): 120.00 mm

Gross height (mm): 95.00 mm  
Packing quantity: 1.00 pc(s)  
Volume (m3): 0.00 m<sup>3</sup>  
Tare weight (kg): 0.26 kg  
Plastic (No PET): 4.00 g  
WEEE tax: Yes  
WEE classification: CL109:5:2017-04-01  
TI weight (kg): 0.03 kg  
Composition of battery: CL127:KT:2016-12-09  
Classification of battery: CL126:NE:2016-12-09  
Type of battery: Accumulator  
Embeeded battery: No  
Paper/Pasteboard: 105.00 g