

Sony FX6 (Product code: THH-4410)**Price: 6697.99 €****Description:**

Sony FX6 kamera užtikrina revoliucinį kompaktiškumą ir namų kūrėjų rankose su savo viso kadro vaizdo jautikliu ir kvapą gniaužiančiu jautrumu. Filmuokite nuostabius 4K vaizdus, naudodamiesi viso kadro jutiklio teikiama kūrybine laisve. Užfiksuokite kiekvieną scenos detalę nustatę mažą lauko gylį ir pritaikydami stulbinantį „bokeh“ efektą, kad vaizdas primintų kino filmus. „S-Cinetone“ spalva, sukurta būtent pripažinimo sulaukusiai „Sony“ kamerai FX9, naudojama kaip numatytasis FX6 vaizdo efektas. Dėl sodrios spalvos ir natūralių odos atspalvių, ryškūs vaizdai užfiksuojami net ir be gradavimo, kartu paliekant daug laisvės apdorojant nufilmuotą medžiagą.

Viso kadro 10,2 MP2 „Exmor RTM“ CMOS vaizdo jutiklis su galiniu apšvietimu pasižymi gebėjimu surinkti visą. Itin spartus nuskaitymas ir daugiau kaip 15 dinaminio diapazono sustojimų užtikrina neprikaištingą vaizdo kokybę ir mažesnę triukšmą. „BIONZ XR“ vaizdo apdorojimo modulis yra itin galingas, todėl puikiai veikia kartu su spartaus nuskaitymo funkcija. Į ateitį orientuotos architektūros modulis leidžia daryti aukštos kokybės nuotraukas greičiau ir paspartina kameros sąsajos veikimą.

Filmuojant su FX6 gerai apšviestose patalpose ir lauke, nustačius bazinį ISO 800 jautrumą, užtikrinamas optimalus dinaminis diapazonas. Sustiprintas ISO 128003 jautrumas skirtas filmavimui prieblandoje, ryte ir vakare. FX6 išsiskiria tuo, kad turi daugiau kaip 15 dinaminio diapazono sustojimų. Hibridinio AF sistema

software upgrades. A highly se / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5.6-inch (14-cm) graphical TFT color touchscreen display, 24-bit color depth, 640 x 480 effective pix / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5.6-inch (14-cm) graphical TFT color touchscreen display, 24-bit color depth, 640 x 480 effective pix / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5.6-inch (14-cm) graphical TFT color touchscreen display, 24-bit color depth, 640 x 480 effective pix / 5-inch (12.5 cm), high-resolution (320 x 222), graphical monochrome 4-bit grayscale display. Allows for greater flexibility of features and applications, and significantly expands the information view / VGA presentation for calling, video calling and applications. 5-inch (10 cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, with backlight. Display also support / 5.6-inch (14 cm) graphical TFT color touchscreen display, 16-bit color depth, 320 x 240 effective pixel resolution, with backlight. Allows for greater flexibility of features and applications, and sig / 5-inch (12.5 cm), high-resolution (320 x 222), graphical monochrome 4-bit grayscale display. Allows for greater flexibility of features and applications, and significantly expands the information view / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5-inch (10-cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5-inch (10-cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5-inch (10-cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, / The Cisco SPA8800 enables service providers to provide customized services to their subscribers. The gateway can be remotely provisioned and supports dynamic, in-service software upgrades. A highly se / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5.6-inch (14-cm) graphical TFT color touchscreen display, 24-bit color depth, 640 x 480 effective pix / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5.6-inch (14-cm) graphical TFT color touchscreen display, 24-bit color depth, 640 x 480 effective pix / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5.6-inch (14-cm) graphical TFT color touchscreen display, 24-bit color depth, 640 x 480 effective pix / 5-inch (12.5 cm), high-resolution (320 x 222), graphical monochrome 4-bit grayscale display. Allows for greater flexibility of features and applications, and significantly expands the information view / VGA presentation for calling, video calling and applications. 5-inch (10 cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, with backlight. Display also support / 5.6-inch (14 cm) graphical TFT color touchscreen display, 16-bit color depth, 320 x 240 effective pixel resolution, with backlight. Allows for greater flexibility of features and applications, and sig / 5-inch (12.5 cm), high-resolution (320 x 222), graphical monochrome 4-bit grayscale display. Allows for greater flexibility of features and applications, and significantly expands the information view / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5-inch (10-cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5-inch (10-cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, / The phone delivers VGA presentation for calling, video calling, and applications, in addition to a 5-inch (10-cm) graphical TFT color display, 24-bit color depth, 640 x 480 effective pixel resolution, / The Cisco SPA8800 enables

Resolution (Megapixels): 12.9 Megapixel

Type of sensor: Photoelectric / photo optical / Photoelectric / Thermal / Optoelectronic / Laser / Optical / Nikon CX / Q sensor / Micro FourThirds / Full Frame / FT (FourThirds) / APS-C / Full Frame / APS-C

Efektyviųjų pikselių skaičius(vaizdo 10.2 Megapixel

Image stabilisation: